






 PIPELIGHTING

One person setup



 PIPELIGHTING

Soft Light





 PIPELIGHTING

Compact carry all





 PIPELIGHTING

Lightweight



 PIPELIGHTING

Wireless / DMX



Color range

2600 k – 5700 k
(CRI 98) (CRI 95)





Waterproof


IP67 Rated

PIPE 2 PILLOW

Power per color: **100 W**
Max power: **200 W**
Input voltage: **24 V**
Dimming range: **0% – 100%**
Single color range:
(2600 K – 5700 K)
Mid range: **0% – 200%**
Lumens: **5 000**
IP rating: **IP67**

Fixture weight: **1.5 lbs**
Complete set weight
including travel bag: **12.1 lbs**

inflated	Lux @ 3'3"	Lux @ 6'6"	Lux @ 13'1"	Lux @ 19'8"
2600 K 100%	614	322	107	49
5700 K 100%	729	326	115	57
4250 K 100%	1280	649	213	107



PIPE 4 SHORTY

Power per color: **200 W**
Max power: **400 W**
Input voltage: **24 V**
Dimming range: **0% – 100%**
Single color range:
(2600 K – 5700 K)
Mid range: **0% – 200%**
Lumens: **10 980**
IP rating: **IP67**

Fixture weight: **2.2 lbs**
Complete set weight
including travel bag: **13.2 lbs**

inflated	Lux @ 3'3"	Lux @ 6'6"	Lux @ 13'1"	Lux @ 19'8"
2600 K 100%	1020	511	169	81
5700 K 100%	1209	543	185	91
4250 K 100%	2124	984	345	170



PIPE 8 SAUSAGE

Power per color: **400 W**

Max power: **800 W**

Input voltage: **24 V**

Dimming range: **0% – 100%**

Single color range:

(2600 K – 5700 K)

Mid range: **0% – 200%**

Lumens: **21 960**


IP rating: **IP67**

Fixture weight: **4.2 lbs**

Complete set weight

including travel bag: **16.5 lbs**

inflated	Lux @ 3'3"	Lux @ 6'6"	Lux @ 13'1"	Lux @ 19'8"
2600 K 100%	1700	799	273	134
5700 K 100%	1950	1370	308	151
4250 K 100%	3460	1600	557	269




4×4

Power per color: **400 W**
Max power: **800 W**
Input voltage: **24 V**
Dimming range: **0% – 100%**
Single color range:
(2600 K – 5700 K)
Mid range: **0% – 200%**
Lumens: **21 960**
IP rating: **IP67**

Fixture weight: **5.3 lbs**
Complete set weight
including travel bag: **19.8 lbs**

inflated	Lux @ 3'3"	Lux @ 6'6"	Lux @ 13'1"	Lux @ 19'8"
2600 K 100%	1700	799	273	134
5700 K 100%	1950	1370	308	151
4250 K 100%	3460	1600	557	269



THE QUEEN 6×3

Power per color: **400 W**
Max power: **800 W**
Input voltage: **24 V**
Dimming range: **0% – 100%**
Single color range:
(2600 K – 5700 K)
Mid range: **0% – 200%**
Lumens: **21 960**
IP rating: **IP67**

Fixture weight: **5.5 lbs**
Complete set weight
including travel bag: **19.8 lbs**

inflated	Lux @ 3'3"	Lux @ 6'6"	Lux @ 13'1"	Lux @ 19'8"
2600 K 100%	1700	799	273	134
5700 K 100%	1950	1370	308	151
4250 K 100%	3460	1600	557	269




THE KING 8×4

Power per color: **800 W**
 Max power: **1600 W**
 Input voltage: **24 V**
 Dimming range: **0% – 100%**
 Single color range:
(2600 K – 5700 K)
 Mid range: **0% – 200%**
 Lumens: **43 920**
 IP rating: **IP67**

Fixture weight: **8.4 lbs**
 Complete set weight
 including travel bag: **33 lbs**

inflated	Lux @ 3'3"	Lux @ 6'6"	Lux @ 13'1"	Lux @ 19'8"
2600 K 100%	2890	1358	464	228
5700 K 100%	3315	1535	524	257
4250 K 100%	5882	2720	947	457



PIPE BALL



Power per color: **150 W**
Max power: **300 W**
Input voltage: **24 V**
Dimming range: **0% – 100%**
Single color range:
(2600 K – 5700 K)
Mid range: **0% – 200%**
Lumens: **8 240**
IP rating: **IP67**

Fixture weight: **3.3 lbs**
Complete set weight
including travel bag: **13.2 lbs**



inflated	Lux @ 3'3"	Lux @ 6'6"	Lux @ 13'1"	Lux @ 19'8"
2600 K 100%	816	409	135	65
5700 K 100%	967	434	148	73
4250 K 100%	1699	787	276	136



CRI 98 @ 2600 K



CRI 95 @ 5700 K




Model	PIPE 2 PILLOW	PIPE 4 SHORTY	PIPE 8 SAUSAGE	4×4	THE QUEEN 6×3	THE KING 8×4	PIPE BALL
Size (L x W x H), ft	2'1" × 1'2" × 8"	4'3" × 1'2" × 8"	8'4" × 1'2" × 8"	4'1" × 3'11" × 8"	5'8" × 2'7" × 8"	7'10" × 3'7" × 8"	1'11" × 2'11" ø
Weight, lbs	1.5	2.2	4.2	5.3	5.5	8.4	3.3
Voltage, V	24	24	24	24	24	24	24
Current per color, A	4	8	16	16	16	16+16	6
Total power rating, W	200	400	800	800	800	1 600	300
CRI	95 +						
CCT	2600–5700 K						
Lumens	5 490	10 980	21 960	21 960	21 960	43 920	8 240
IP rating	IP 67						

What's in the bag?

Every set consists of

- Lamp head
- Ballast
- Soft grid black/white
- Side skirt
- Baby pin plate
- Control cable
- Power cable
- Feeder cable
- Mounting straps
- Air pump



The team

Pipe Lighting has been in business for 35 years. The company has supplied productions from independent to multi million dollar films all over the world. The "air-filled LED inflatable balloon lights" are waterproof and completely submersible which can be used under any weather condition. Each unit is compact and super light weight complete with its own travel bag.

The company originated in Moscow, Russia by filmmakers. Their years of experience gave them the concept that is now sweeping across the entire film industry.

Reps for Pipe Lighting are all over the world serving Europe, Canada, Mexico, the United States and extending into Asia.

Pipe Lighting's goal is to supply the film industry with a product that is light weight and will afford filmmakers more time to accomplish their goals and make the day. Our website offers a detailed look into the product's ability and technical aspects.

Filmmaker quotes

"Pipe Lighting not only gave us the perfect look, but afforded us more time between setups which is every filmmaker's dream".

Writer/Director
Michael G Kehoe



Contacts

Aleksei Derzhavin

OUR SHOWROOM IS LOCATED AT:

: 11280 Peach Grove St,
Unit 304,
North Hollywood, CA 91601



626 376-6857



info@pipelighting.la

